



REALOBJECTS

PDFReactor®

## A problem has occurred


2026-06-24 05:17:32

### Error message:

This license has expired on 2026-05-30.

### License Information:

|                        |   |
|------------------------|---|
| License serial no:     | 3916  |
| Licensee:              | Adeona Oy   |
| Product:               | PDFReactor Web Service  |
| Version:               | 12.0  |
| License Type:          | CPU   |
| Amount:                | 12 Thread(s)  |
| Maintenance Exp. Date: | 2026-05-30  |
| Expiration Date:       | 2026-05-30  |
| Purchase Date:         | 2015-11-18  |
| Conditions:            | [This license is for use on development systems only. It may not be used on staging or productive systems of any kind.] |
| Sign Date:             | 2025-06-02 15:12  |



10113025

**Vienvietis rėmelis, Berker B3, juodas anoduotas aliuminis/baltas matinis****Prekės ženklas:** Hager**GTIN:** 4011334384656

Rėmelio Berker B3 originalus paviršius iš natūralaus anoduoto aliuminio, pagrindas yra pagamintas iš halogenų neturinčio balto termoplasto. Plotis: 90,7 mm. Aukštis: 81,1 mm. Gylis: 9,5 mm, RAL 9005 - juoda.

**ETIM duomenys:**

|  |                          |
|--|--------------------------|
| Vienetų skaičius   | 1                        |
| Montavimo kryptis  | Horizontali un vertikali |
| Horizontalių elementų skaičius                           | 1                        |
| Vertikalių elementų skaičius                             | 1                        |
| Horizontalių modulių skaičius (Su moduline konstrukcija) | 0                        |
| Vertikalių modulių (su moduline konstrukcija) skaičius   | 0                        |
| Su montavimo tinkleliu/rėmu                              | Ne                       |
| Lygiai montuojama instaliacija                           | Taip                     |
| Tinka grindų dėžei                                       | Ne                       |
| Tinka sienos kanalui                                     | Taip                     |
| Tinka lygiai montuojamai instaliacijai                   | Taip                     |
| Etiketės vietos / informacijos paviršius                 | Ne                       |
| Medžiaga   | Metals                   |
| Medžiagos kokybė   | Aluminijs                |
| Be halogeno  | Taip                     |
| Antibakterinis apdorojimas                               | Ne                       |
| Paviršiaus apdorojimas                                   | Anodėts                  |
| Paviršiaus tipas   | Mets                     |
| Spalva   | Melns                    |
| RAL numeris (gretimas)                                   | 9005                     |
| Permatomas   | Ne                       |
| Su vyrius turinčiu dangčiu                               | Ne                       |
| Saugos laipsnis (IP)                                     | IP20                     |
| Smūgio stiprumas   | IK07                     |
| Tvirtinimo tipas   | Skavas montāža           |
| Plotis   | 90.7 mm                  |
| Aukštis  | 81.1 mm                  |
| Gylis  | 9.5 mm                   |
| Suprojektuotas plotas                                    | 56 mm                    |
| Suprojektuotas aukštis                                   | 56 mm                    |
| Atviros išgręžtos skylės skersmuo                        | 0 mm                     |

**Patvirtinimai / ženklėjimas:**



REALOBJECTS

PDFReactor®

## Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

**NOTE:** Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

## Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

## About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit [www.pdfreactor.com](http://www.pdfreactor.com)