



A problem has occurred

2026-06-08 08:46:43

Error message:


This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

20307109



20307109

Huonetermostaatti 1a keskiölevyllä/kytkim., K.1, puhtaanvalkoinen kiiltävä

Tuotemerkki: Hager
GTIN: 4011334309482
Sähkönumero: 2613181

Huonetermostaatti avautuvalla koskettimella ja keskiölevyllä, jossa on merkinnät asetteluille, päälle/pois-kytkin, LED-kontrollisvalo tilanilmaisuun, säätöpyörä ja lämpötilan rajoitus. Termostaatti on varustettu ohjaustulolla lämpötilan yöpudotuksen ohjaukseen. Soveltuu käytettäväksi lämmityksen, kojerungossa kiinnityskynnet. Liitäntä jousiliittimin ja nollajohdin vaaditaan. Termostaatti vaihtaa koskettimen tilaa kun asetettu lämpötila saavutetaan. Asennus uppoon kojerasiaan. Materiaali halogeeniton thermoplast-muovi.

ETIM-tiedot:

Malli / Tyyppi	on/off
Teholähteen tyyppi	230 V AC
Liitäntätyyppi	2-johdin
Vastaanotin	ei
Mitta-alue	5 °C - 30 °C
Ulkoisen anturi	ei
Terminen takaisinkytkentä	sarja
Säätötapa	muu
Lämmitys	kyllä
Lämmitinlähtöjen määrä	1
Sopii jäähtytykseen	kyllä
Jäähdytyslähtöjen määrä	1
Poikkeama-arvo	0.5 K - 0.5 K
Säädettävä poikkeama	ei
Lämpötila luettavissa	ei
Ääni-indikaattori	ei
Ilmaisimen / anturin tyyppi	kaksoismetalli
Asennustapa	uppoasennus
Moduulien lukumäärä	0
Sisältää näytön	ei
Käyttö	väännin
Piilotettu toiminta	ei
Talousvesipiiri	ei
Kosketintyyppi	avauskosketin (NC)
Maksimikontaktijännite	4000 V
Kosketinkuorma max.	10 A
Kotelointiluokka (IP)	IP20
Kotelointiluokka (NEMA)	1
Rajähdyssuojattu	ei
Väri	valkoinen
RAL-numero	9010
Korkeus	71 mm
Leveys	71 mm
Syvyys	46 mm
Lämpötilaohjauksen luokka	I
Valmiustilan tehonkulutus (solstandby)	0 W



REALOBJECTS

PDFReactor[®]

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Apple HomeKit -yhteensopiva	ei
Google Assistant -yhteensopiva	ei
Amazon Alexa -yhteensopiva	ei
IFTTT-tuki	ei

Hyväksynät / merkinnät: