



REALOBJECTS
PDFReactor[®]

A problem has occurred

2026-05-31 03:18:59

Error message:

This license has expired on 2026-05-30.

License Information:

| | |
|------------------------|---|
| License serial no: | 3916 |
| Licensee: | Adeona Oy |
| Product: | PDFReactor Web Service |
| Version: | 12.0 |
| License Type: | CPU |
| Amount: | 12 Thread(s) |
| Maintenance Exp. Date: | 2026-05-30 |
| Expiration Date: | 2026-05-30 |
| Purchase Date: | 2015-11-18 |
| Conditions: | [This license is for use on development systems only. It may not be used on staging or productive systems of any kind.] |
| Sign Date: | 2025-06-02 15:12 |



30753525

Verhokytin pinta 10A/250VAC jousiliittimillä, W.1, harmaa ECO**Tuotemerkki:** Hager**GTIN:** 4011334391197**Sähkönumero:** 2009023

Verhokruunukytkin 1-napainen nuolisymbolimerkinnöllä pinta-asennus Tuote merkitty lumihiutalemerkinnällä IEC 60669-1 vaatimusten mukaisesti soveltuvaksi kylmiin olosuhteisiin -25°C asti. Tuotteen valmistuksessa on otettu käyttöön Ocean-bound plastic kierrätysmateriaali. Ocean-bound plastic tarkoittaa väärin hävitettyä muovijätettä, joka on kerätty rannikkoalueilta enintään 50 kilometrin etäisyydeltä rannasta, estäen muovin mereen päätyminen. Tuote sisältää 31,3 % Ocean-bound plastic muovia. Kierrätysmuovin käyttäminen suojelee ympäristöä haitalliselta muovijätteeltä ja vähentää tuotteen hiilijalanjälkeä.

ETIM-tiedot:

| | |
|------------------------------|-------------------------------|
| Sälekahtimiin | kyllä |
| Rullaverhoille (sälerullain) | kyllä |
| Markiiseille | ei |
| Kokoonpano | peruselementti täyskoteloitu |
| Malli / Tyyppi | 1-napainen kytkin |
| Napojen lukumäärä | 2 |
| Käyttötapa | keinukytkin |
| Sähkölukituksella | ei |
| Mekaanisella lukituksella | kyllä |
| Mekaanisesti ohjattavissa | kyllä |
| Sähköisesti ohjattavissa | ei |
| Asennustapa | pinta-asennus |
| Materiaali | muovi |
| Materiaalin laatu | kestomuovi |
| Halogeeniton | kyllä |
| Pinnan suojaus | käsitlemätön |
| Pintamateriaali | matta |
| Kiinnitystapa | ruuvikiinnitys |
| Kytchentäpa | pistokepuristin / jousiliitin |
| Väri | harmaa |
| RAL-numero (vastaava) | 7011 |
| Läpinäkyvä | ei |
| Merkintäpaikka | ei |
| Sopii koteloitiluokalle (IP) | IP55 |
| Nimellisvirta | 10 A |
| Nimellisjännite | 250 V |
| Painikkeiden määrä | 2 |
| Moduulien lukumäärä | 1 |
| Laitteen leveys | 76 mm |
| Laitteen korkeus | 78 mm |
| Laitteen syvyys | 61.55 mm |
| Upotusleveys | 76 mm |
| Upotuskorkeus | 78 mm |
| Upotussyvyys | 0 mm |



REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

| | |
|---|------|
| Minimisyvyys (sisäänrakennettu laitekotelo) | 0 mm |
| Apple HomeKit -yhteensopiva | ei |
| Google Assistant -yhteensopiva | ei |
| Amazon Alexa -yhteensopiva | ei |
| IFTTT-tuki | ei |

Hyväksynät / merkinnät: