



A problem has occurred


2026-06-24 04:27:17

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



85421200

Universalus klavišinis mygtukinis dimeris, 1 klavišo, Berker**Prekės ženklas:** Hager**GTIN:** 4011334375920

Universalus klavišinis mygtukinis dimeris, 1-no klavišo, Berker

ETIM duomenys:

Kompleksinio bloko išdėstymas	Pamatelements
Veikimo metodas	Spiedpoga
Modulinės konstrukcijos modulių skaičius	0
App valdymas per Bluetooth	Ne
Nuoseklioji užtamsinimo sistema	Ne
Apkrovos tipas	Universals
Pastotės įvestis	Taip
Šviesos vertės atmintis	Ne
Naudotinas su mygtuku	Taip
Naudotinas su judesio davikliu	Taip
Naudotinas su buvimo rodmeniu	Ne
Naudotinas su laiko jungikliu / laikmačiu	Ne
Naudotinas su perdavimo mygtuku	Taip
Naudotinas su infraraudonųjų spindulių mygtuku	Ne
Montavimo metodas	Iebūvēts
Tvirtinimo tipas	Montāža ar nagu
Medžiaga	Cits
Medžiagos kokybė	Cits
Be halogeno	Taip
Paviršiaus apdorojimas	Neapstrādāts
Permatomas	Ne
Tinka apsaugos laipsniui (IP)	IP20
Smūgio stiprumas	IK02
Nominali įtampa nuo / iki	230 V - 230 V
Dažnio diapazonas	50 Hz - 60 Hz
Nominali galios varžinė apkrova	20 W - 350 W
Nominali talpinė galia	20 VA - 200 VA
Maksimali perjungimo galia LED	250 W
Jungties tipas	Skrūvējams spailis
Šerdies kryžminė sekcija nuo / iki	1.5 mm ² - 2.5 mm ²
Įrenginio plotis	71 mm
Įrenginio aukštis	71 mm
Įrenginio gylis	33.2 mm
Mažiausias įmontuoto įrenginio gylis	35 mm
Suderinamas su "Apple HomeKit"	Ne
Suderinamas su "Google Assistant"	Ne
Suderinamas su "Amazon Alexa"	Ne
Galimas IFTTT palaikymas	Ne



REALOBJECTS PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Patvirtinimai / ženkliniai:

