



REALOBJECTS

PDFReactor®

## A problem has occurred


2026-06-13 11:55:35

### Error message:

This license has expired on 2026-05-30.

### License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



928912501

### 1 - 10 V -kiertopotentiometri peitelevyllä ruskea matta

**Tuotemerkki:** Hager

**GTIN:** 4011334265184

**Sähkönumero:** 2613655

1 - 10 V -kiertopotentiometri pehmeälukittuvalla asettelunupilla ja peitelevyllä

Taajuus 50/60Hz

Käyttöjännite 230V~

Kytkevirta 6A

Ohjausvirta 50mA

Laittekotelon syvyys 22mm

Akselin mitta Ø 4mm

Saman valaistustason varmistamiseksi, käytä ainoastaan saman valmistajan elektronisia liitäntälaitteita ja loistelamppuja. Sulakkeen vaihto mahdollista ilman kannen irrotusta.

älä asenna Berker Integro -kosketussuojarasioiden, uppoasennuskoteloiden tai kiinnityskiristysrenkaan kanssa. Liityntä DIN EN 61347-2-3 mukaan

- peruskirkkaus opetettavissa
- esim. loistelampuille ja PJ-halogenilampuille
- elektronisten liitäntälaitteiden ja 1 - 10 V Tronic-muunta jien, 105 W kytkentään ja ohjaukseen
- päälle/pois-painokytkimellä
- oikosulku- ja ylikuormitussuojattu (lasiputkisulake)
- varasulakkeella
- merkinnöillä

#### ETIM-tiedot:

Nimellisvirta	6 A
Nimellisjännite	230 V
Taajuus	50 Hz - 60 Hz
Himmennys DALI	ei
Käyttötapa	väännin/painike
Käytettävissä painikkeen kanssa	ei
Käytettävissä IR-painikkeen kanssa	ei
Laitteen leveys	59.5 mm
Laitteen korkeus	59.5 mm
Laitteen syvyys	58 mm
Läpinäkyvä	ei
RAL-numero (vastaava)	8017

#### Hyväksynnät / merkinnät:





REALOBJECTS

PDFReactor®

## Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

**NOTE:** Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

## Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

## About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit [www.pdfreactor.com](http://www.pdfreactor.com)