



REALOBJECTS

PDFReactor®

A problem has occurred


2026-06-13 12:20:15

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



936562524

Vaihtokytkin 16A/250V, Integro Flow/Pure, ruostumaton teräs matta, maalattu**Tuotemerkki:** Hager**GTIN:** 4011334334637**Sähkönumero:** 2111799

Vaihtokytkin (6) nimellijännite 250VAC, kytkentävirta 16AX. Asennus 4-pistekiinnityksellä paneelipintoihin. Soveltuu käytettäväksi IP44-asennuksiin yhteensopivan tiivisteen ja IP44-merkityn peitelevyn kanssa. Varustettavissakosketussuojarasiolla takapinnan liitäntöjen suojaamiseksi.

ETIM-tiedot:

KytKentätapa	vaihtokytkin
Käyttötapa	keinuvipu/painike
Kokoonpano	peruselementti keskiölevyllä
Moduulien lukumäärä	0
Vipujen määrä	1
Asennustapa	sisäänrakennettu asennus
Kiinnitystapa	ruuvikiinnitys
Asennuslevyllä	ei
Materiaali	muovi
Materiaalin laatu	kestomuovi
Halogeeniton	kyllä
Antibakteerinen käsittely	ei
Pinnan suojaus	lakattu
Pintamateriaali	matta
Väri	ruostumaton teräs
RAL-numero (vastaava)	9022
Merkintätila/-pinta	kyllä
Valaisu	ei
Valaistustoiminto	muu
Valaistuksen tyyppi	muu
Sopii kotelointiluokalle (IP)	IP44
Nimellijännite	250 V
Nimellisvirta	10 A
KytKentävirta loistelampuille	10 AX
Takaisinkytkentäliitin	ei
KytKentätapa	ruuviliitos
Lämmityskytkin	ei
Pesukonekytkin	ei
Laitteen leveys	55.5 mm
Laitteen korkeus	55.5 mm
Laitteen syvyys	25 mm
Upotussyvyys	10 mm
Minimisyvyys (sisäänrakennettu laitekotelo)	13 mm
Apple HomeKit -yhteensopiva	ei
Google Assistant -yhteensopiva	ei
Amazon Alexa -yhteensopiva	ei
IFTTT-tuki	ei
UK Building Regulations Part M mukainen	ei



REALOBJECTS PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Hyväksynät / merkinnät:

