



REALOBJECTS

PDFReactor®

A problem has occurred

2026-05-31 03:54:25

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



BRA651701ELN

Seadmekarbik BRA 65x170mm, anod. alumiinium

Bränd: Hager

GTIN: 4012740834162

Seadmekarbik mõõtudega 65x170 mm on valmistatud naturaalselt anodeeritud alumiiniumist, pakkudes vastupidavat ja korrosioonikindlat lahendust kaablite korrastamiseks ja kaitsmiseks äripindadel ning avalikes ruumides. Karbik sobib ideaalselt diskreetseks ja tõhusaks kaablite paigutamiseks otse seina ääres, tagades korrektse ja esteetilise lõpptulemuse. Tugev alumiiniumkonstruktsioon tagab pika kasutusea ning professionaalse välimuse ka nõudlikes paigalduskeskkondades. Seadmekarbik on varustatud aluse perforatsiooniga otseseks seinale kinnitamiseks ning täiendavate ristkülikukujuliste avadega, mis võimaldavad kanali tööriistavaba kinnitamist kronsteinidele klambritehnoloogia abil. Integreeritud C-profiil võimaldab paigaldada seadmeid, seadmekarbikuid kiirkinnitustega ning vaheseinu. 80 mm laiune ülaosa võimaldab ka esiservast lukustuvat, tööriistavaba seadmete paigaldust. Lisatarvikutena on saadaval: ühendusdetailid, vaheseinad ning kaabliklambrid.

ETIM-teave:

Laius	170 mm
Sügavus	68 mm
Pikkus	2000 mm
Kaverite arv	1
Tootega kaasas olevad kaaned	Ei
Katte laius 1	80 mm
Katte laius 2	0 mm
Katte laius 3	0 mm
Sümmeetriline	Jah
Ehitustüüp ristkülikukujuline	Jah
Halogeenvaba	Jah
Antibakteriaalne ravi	Ei
Tagumine sein (sisemine külj) konstruktsioon	Pidev C-profiil
Kaitsva fooliumiga	Jah
Pistikprogrammi partitsioonide arv	1
Kanaliühendusega	Jah
Paigaldatud perforatsioon põhjas	Jah
Paigaldusmeetodi kate	Sisemine lebamine
Kaabli kinnitusklambriga	Ei
Kasulik ristlõige	10050 mm ²
Töötemperatuur	-5 °C - 90 °C

Kinnitused / märgistused:





REALOBJECTS

PDFReactor[®]

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com