



A problem has occurred

2026-06-16 14:49:57

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



BRP6510019011

BRP seadmekarbik 65x100x2000mm, RAL9011

Bränd: Hager

GTIN: 4012740855990

PVC seadmekarbik mõõtudega 65×100×2000 mm on mõeldud kasutamiseks seadmete paigalduskanalina. Karbikule sobib eraldi tellitav 80 mm laiune kaas (BRP08029016), pikendusosad on saadaval lisatarvikutena.

Seadmekarbik vastab standardile DIN EN 50085-1 ning võimaldab paigaldada nii esiservakinnitusega Ecoline-kanalitarvikuid kui ka standardseid seadmekarpi paigaldatavaid komponente.

Paigaldust lihtsustavad 50 mm sammuga avad klambrite kinnitamiseks ning 125 mm sammuga avad otseseks seinale paigalduseks. Kaablisüsteemide korrastamiseks ja eraldamiseks saab karbikut täiendada vaheseinte ja kanalile paigaldatavate vormiosadega, mis tagavad korrektse ja professionaalse lõpptulemuse. Värv grafiitmust (RAL 9011).

ETIM-teave:

Laius	100 mm
Sügavus	70 mm
Pikkus	2000 mm
Kaverite arv	1
Tootega kaasas olevad kaaned	Ei
Katte laius 1	80 mm
Sümmeetriline	Jah
Ehitustüüp ristkülikukujuline	Jah
Materjal	Plast
Materjali kvaliteet	Polüvinüülkloriid (PVC)
Halogeenvaba	Ei
Antibakteriaalne ravi	Ei
Pinnakaitse	Töötlemata
Värv	Black
RAL-number	9011
Tagumine sein (sisemine külg) konstruktsioon	Pidev muu profiil
Kaitsva fooliumiga	Jah
Pistikprogrammi partitsioonide arv	1
Kanaliühendusega	Jah
Paigaldatud perforatsioon põhjas	Jah
Paigaldusmeetodi kate	Sisemine lebamine
Kaabli kinnitusklambriga	Ei
Kasulik ristlõige	5300 mm ²
Kaitseaste (IP)	IP40
Löögitugevus	IK08
Töötemperatuur	-5 °C - 60 °C

Kinnitused / märgistused:





REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com