



A problem has occurred

2026-06-24 23:19:39

Error message:

This license has expired on 2026-05-30.

License Information:

| | |
|------------------------|---|
| License serial no: | 3916 |
| Licensee: | Adeona Oy |
| Product: | PDFReactor Web Service |
| Version: | 12.0 |
| License Type: | CPU |
| Amount: | 12 Thread(s) |
| Maintenance Exp. Date: | 2026-05-30 |
| Expiration Date: | 2026-05-30 |
| Purchase Date: | 2015-11-18 |
| Conditions: | [This license is for use on development systems only. It may not be used on staging or productive systems of any kind.] |
| Sign Date: | 2025-06-02 15:12 |



EE811

Dvejų kanalų būvio jutiklis: 1 - apšvietimui, 2 - šildymo, vėdinimo valdymui

Prekės ženklas: Hager

GTIN: 3250612258116

Dvejų kanalų būvio jutiklis: 1 - apšvietimui, 2 - šildymo, vėdinimo valdymui

ETIM duomenys:

| | |
|--|----------------------|
| Modelis | Klātbūtnės detektors |
| Su DALI sąsaja | Ne |
| Pastovi šviesos kontrolė | Ne |
| Šildymo, ventiliacijos, oro kondicionavimo sistemos valdymas | Ne |
| Priverstinis išjungimas | Ne |
| Gyvūnų zona | Ne |
| Jungiamas į tinklą | Taip |
| Skenavimo kampas | 360 ° |
| Optimalus montavimo aukštis | 4 m |
| Maks. šoninis perdavimo diapazonas | 13 m |
| Maks. priekinis perdavimo diapazonas | 7 m |
| Tinka belaidžiam perdavimui | Ne |
| Nuotolinė operacija | Taip |
| Su nuotoliniu valdymu | Ne |
| Reguliuojamas atsakomosios vertės jautrumas | Taip |
| Reguliuojamos atsakomosios vertės apšvietimas | Taip |
| Su signaliniu įtaisu | Ne |
| Mokymo funkcija, skirta šviesumo vertės reakcijai | Taip |
| Medžiaga | Plastmasas |
| Medžiagos kokybė | Termoplastisks |
| Be halogeno | Ne |
| Paviršiaus tipas | Mets |
| Antibakterinis apdorojimas | Ne |
| RAL numeris (gretimas) | 9010 |
| Saugos laipsnis (IP) | IP41 |
| Dažnio diapazonas | 50 Hz - 50 Hz |
| Min. įjungimo laikas | 60 s |
| Maks. darbinis ciklas | 30 min |
| Horizontalus nustatymo kampas nuo / iki | 360 ° - 360 ° |
| Maks. startinė srovė | 16 A |
| Pastotės įvestis | Taip |
| Gylis | 100 mm |
| Suprojektuotas plotas | 0 mm |
| Suprojektuotas ilgis | 0 mm |
| Suderinamas su "Apple HomeKit" | Ne |
| Suderinamas su "Google Assistant" | Ne |
| Suderinamas su "Amazon Alexa" | Ne |
| Galimas IFTTT palaikymas | Ne |



REALOBJECTS PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Patvirtinimai / ženkliniai:

