



A problem has occurred

2026-06-16 14:47:34

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



EE883

Liiketunnistin HF IP54 pinta-asennus 360° päälle/pois

Tuotemerkki: Hager

GTIN: 3250617579469

Sähkönumero: 2613084

Korkeataajuusliiketunnistin ON / OFF-toiminnolla on tarkoitettu valaistuksen ohjaukseen liike- ja asuinrakennuksissa liikkuvia esineitä havainnoimalla. Tunnistus tehdään lämpötilasta tai liikesuunnasta riippumatta. Tunnistin on tarkoitettu asennettavaksi kattoon ja sen tunnistusalueen halkaisija on säädettävissä välillä 1m - 8m, asennuskorkeuden ollessa 2,5 m. Peruskäyttö on mahdollista tunnistimen vakioasetusten kanssa. Lisätoiminnot on otettavissa käyttöön tunnistimen syötön katkaisuun tarkoitetulla ulkoisella kytkimellä. Helppo asennus liitäntäkaapelin QuickConnect-liittimillä ja kansiosan pistokkeilla.

ETIM-tiedot:

DALI-liitännällä	ei
Vakiovalosäätö	ei
HVAC-ohjaus	ei
Pakotettu poiskytkentä	ei
Eläintunnistus	ei
Ketjutettava	kyllä
Optimaalinen asennuskorkeus	4 m
Tunnistusalueen maksimileveys	4 m
Tunnistusalueen maksimipituus	4 m
Soveltuu langattomaksi lähettimeksi	ei
Kaukokäyttö	kyllä
Kauko-ohjaus	ei
Vastearvon herkkyyden säätö	kyllä
Valoisuuden raja-arvo säädettävissä	kyllä
Merkintantoyksiköllä	ei
Opetustoiminto valoisuuden raja-arvolle	kyllä
Himmennystoiminto valonsäädinrungolla	ei
Halogeeniton	kyllä
Pintamateriaali	kiiltävä
Antibakteerinen käsittely	ei
Taajuus	50 Hz - 50 Hz
Vaakasuuntainen havainnointikulma	360 ° - 360 °
Vaakasuuntainen tunnistusalue	360 ° - 360 °
Max. kytkentäteho LED	400 W
Ala-aseman sisääntulo	kyllä
Upotusleveys	0 mm
Upotuspituus	0 mm
Apple HomeKit -yhteensopiva	ei
Google Assistant -yhteensopiva	ei
Amazon Alexa -yhteensopiva	ei
IFTTT-tuki	ei



REALOBJECTS

PDFReactor[®]

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Hyväksynät / merkinnät:

