



REALOBJECTS
PDFReactor[®]

A problem has occurred

2026-06-06 08:31:38

Error message:


This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

EKQ060TM25



EKQ060TM25

Lattiarasiakasetti ruostumaton teräs kork.sääd. Q06 putkella syvennys 25 mm

Tuotemerkki: Hager

GTIN: 4012740028875

Sähkönumero: 1476634

Korkeussäädettävä kasettityyppinen lattiarasia kaapeliputkikeskiöllä ja 25 mm lattiapinnoitesyvennyksellä. Valmistusmateriaali ruostumaton teräs. Tämä neliön muotoinen rasia koostuu kasettikehyksestä, kaapeliputkellisesta kasettikannesta ja tiivisteestä. Tuotetta voidaan käyttää kaikenlaisissa lattiarakenteissa kuivissa sisätiloissa, joissa on kuiva- tai märkäpuhdistettava lattiat. Tiiviste voidaan vaihtaa, jotta tiiveysluokka voidaan taata koko elinkaaren ajan. Kaapeliputki antaa suojaa lattiapinnalla olevaa vettä vastaan 10 mm tasoon asti käyttöasennossa. Tämä ympärikäännettävä putki pysyy tallessa lattiarasiakannen yhteydessä, kun se ei ole käytössä. Lattiarasia voidaan varustaa kojerasiain, joiden asennuskorkeus on valittavissa portaittain. Rasiaan voidaan varustaa parhaimmillaan kuudella 45 x45 mm mitoitetulla kojeella. Testattu standardien DIN EN 50085-1 ja DIN EN 50085-2-2 mukaisesti.

ETIM-tiedot:

Nimellismitta	199 mm
Kasetin korkeus	105 mm
Minimi asennussyvyys	105 mm
Vaaituskorkeus	105 mm - 292 mm
Lattiapäällysteen syvyys	25 mm
Lattian kunnossapito	märkä
Malli / Tyyppi	neliö
Materiaali	ruostumaton teräs
Riviliittimien lukumäärä	1
Kaapelijohtoulostulon tyyppi	putki
Lattiarasian materiaali	ruostumaton teräs
Lattiarasian väri	harmaa
Asennusvarusteiden asennuspaketti	kyllä
Upotuspituus	200 mm
Upotusleveys	200 mm
Asennettavien laitteiden/kojeiden lukumäärä	6
Laitekoteloiden määrä	2

Hyväksynyt / merkinnät:





REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com