



REALOBJECTS

PDFReactor®

A problem has occurred

2026-06-03 13:50:15

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

F16-C-2Y



F16-C-2Y

UTUFox Caravan, IP44, In 16A, 2xCEE, 2xJSVV-yhd.

Tuotemerkki: UTU

GTIN: 6438526003535

Sähkönumero: 3436869

UTUFox F16-C-2Y on caravan-rasia kahdella CEE -pistokkeella ja johdonsuojavikavirtakatkaisijoilla. Tee leirintäalueestasi käyttäjäystävällisempi ja houkuttelevampi niin vanhoille kuin uusillekin asiakkaille. UTUFox Caravan asema on suunniteltu niin, että aseman kansi sulkeutuu myös pistokkeen olleessa kiinni.

UTUFox Caravan on pohjoisen haastaviin olosuhteisiin erinomaisesti sopiva tyylikkään tumma caravan-asema.

- 1-2 kpl CEE -pistoke, optiona sukopistoke
- 2 kpl vikavirtajohdonsuojakatkaisija 16A/30mA
- Lukko + 2 kpl poletteja
- IP44 / IK10
- Suunniteltu pohjoisen vaativiin olosuhteisiin
- Asennus seinälle, pylvääseen tai selät vastakkain
- Modulaarinen rakenne

UTUFox Caravan -sarjan tuotteet suunnitellaan ja valmistetaan Ulvilassa UTU Oy:n tuotannossa laadukkaana kotimaisena työnä.

ETIM-tiedot:

Kotelon/suojuksen materiaali	polykarbonaatti (PC)
Väri	musta
Asennustapa	muu
Koteloitu laite	kyllä
Aikakytkin	ei
Energiamittari	ei
Liitäntäjännite	230 V
Nimellisvirta	16 A
Voimapistorasioiden (CEE) määrä	2
Suojamaadoitettujen pistorasioiden määrä (CEE 7/3, tyyppi F)	2
Suojakatkaisija	kyllä
Johdonsuojakatkaisijoiden määrä	2
A-tyyppin vikavirtakytkimien määrä	1
B-tyyppin vikavirtakytkimien määrä	0
Maavuotovahti	ei ole
Kytchentäpa	ruuviliitos
Kotelointiluokka (IP)	IP44
WiFi	ei
Lämpöohjattu	ei
Valolla	ei
Asetusajan pidennys	0 min
Korkeus	306 mm
Leveys	251 mm
Syvyys	230 mm



REALOBJECTS PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Hyväksynät / merkinnät:

