



REALOBJECTS  
**PDFReactor**<sup>®</sup>

## A problem has occurred

2026-06-06 05:26:33

### Error message:

This license has expired on 2026-05-30.

### License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

# TUOTEKORTTI

## GSETMM1019011



GSETMM1019011

### Asennuskehys 1-osainen AV-liittimille Keystone, keskiö 55x55 grafiitinmusta

**Tuotemerkki:** Hager

**GTIN:** 4012740986946

**Sähkönumero:** 1476585

Asennuskehys 19,9 x 14,8 mm aukotuksella multimodiuulien tyyppi 10 (Keystone / Large Keystone / AMP) asennukseen. Liitinmoduulien asennussuunta asennuslevyyn nähden 90°. Sisältää pikakiinnitteisen 1-osaisen 55 x 55 mm mitoitettua keskiölevyä. Asennus upotustilalla varustetun johtokanavakojerasian kanssa, johtokanava-asennuksen asennussyvyyden minimoimiseksi ja mahdollisimman huomaamattoman ja helposti puhdistettavan liitätärasia-asennuksen varmistamiseksi. Käyttö 55 x 55 mm keskiöaukolla varustettujen modulaaristen peitekehysten kanssa, joista on olemassa myös versio merkintäikkunalla ryhmämerkintöjä varten.

#### ETIM-tiedot:

Kokoonpano	peruselementti keskiölevyllä
Käyttö	modulaarinen jakkiliitin
Kiinnitysrenas	kyllä
Pölysuojakannella	ei
Saranoitu kansi	ei
Liitäntäsuunta	suora
Painettava merkintä	sisältää asennonosoitusalueen
Merkinnällä	ei
Asennustapa	muu
Materiaali	muu
Materiaalin laatu	muu
Halogeeniton	kyllä
Antibakteerinen käsittely	ei
Pinnan suojaus	käsittelemätön
Pintamateriaali	matta
Väri	musta
RAL-numero (vastaava)	9011
Läpinäkyvä	ei
Kiinnitystapa	ruuvikiinnitys
Moduulien lukumäärä	1
Kiskoilla/jatkoilla	ei
Liitinten lukumäärä	1
Vedonpoistin	ei
Suojatut väylät	ei
Suojattu kotelointi	kyllä
Eristetty ruuviliitos	ei
Valolla	ei
Sopii kotelointiluokalle (IP)	IP00
Iskunkestävyyssluokka	IK07
Laitteen leveys	71 mm
Laitteen korkeus	71 mm
Laitteen syvyys	20 mm
Minimisyvyys (sisäänrakennettu laitekotelo)	40 mm



REALOBJECTS

PDFReactor®

## Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

**NOTE:** Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

## Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

## About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit [www.pdfreactor.com](http://www.pdfreactor.com)

Hyväksynät / merkinnät:

