



REALOBJECTS

PDFReactor®

A problem has occurred

2026-06-06 08:29:10

Error message:


This license has expired on 2026-05-30.

License Information:

| | |
|------------------------|---|
| License serial no: | 3916 |
| Licensee: | Adeona Oy |
| Product: | PDFReactor Web Service |
| Version: | 12.0 |
| License Type: | CPU |
| Amount: | 12 Thread(s) |
| Maintenance Exp. Date: | 2026-05-30 |
| Expiration Date: | 2026-05-30 |
| Purchase Date: | 2015-11-18 |
| Conditions: | [This license is for use on development systems only. It may not be used on staging or productive systems of any kind.] |
| Sign Date: | 2025-06-02 15:12 |

TUOTEKORTTI

LF6011007035



LF6011007035

Asennuskanava PVC-muovista LF 60x110mm vaaleanharmaa

Tuotemerkki: Hager

GTIN: 4012740136402

Sähkönumero: 1476478

Asennuskanava PVC-muovista, johtoreitiksi kaapeleiden pinta-asennukseen. Valmistettu standardin DIN EN 50085-2-1 mukaisesti. Toimitus sisältää kanavan kannen ja rungon, jossa on kiinnitysreiät 125 mm välein sekä kaapelipidikkeet (2kpl/m) ja jatkokappaleet yksinasentamisen helpottamiseksi. Kanavaan on saatavilla tehdasvalmisteiset muoto-osat sisäkulma, ulkokulma, päätykappale, tasokulma ja T-kappale. Kanavarungon pohja on varustettu kolmella I-palkilla väliseinän kiinnitykseen. Kanavan kaapelointitila voidaan jakaa useaan erilliseen osastoon väliseinän MH2026 kanssa.

ETIM-tiedot:

| | |
|---|----------------------|
| Korkeus | 60 mm |
| Leveys | 110 mm |
| Pituus | 2000 mm |
| Käytettävä poikkipinta | 5460 mm ² |
| Materiaali | muovi |
| Materiaalin laatu | PVC |
| Halogeeniton | ei |
| Antibakteerinen käsittely | ei |
| Pinnan suojaus | käsittelemätön |
| Soveltuu piirin jatkuvuuden säilymiseen | ei |
| Väri | harmaa |
| Läpinäkyvä | ei |
| RAL-numero | 7035 |
| Kiinteiden paneelien määrä | 0 |
| Liitettävien paneelien lukumäärä | 3 |
| Kiinnitystapa | pohjareiät |
| Kannen muoto | irtonainen |
| Kaapelipidikkeillä | kyllä |
| Suojakalvolla | ei |
| Kanavan jatkokappaleilla | kyllä |
| Toimitus rullalla | ei |
| Läpilyöntiaihio | ei |
| Kotelointiluokka (IP) | IP30 |
| Iskunkestävyysluokka | IK06 |
| Käyttölämpötila | -5 °C - 60 °C |

Hyväksynät / merkinnät:





REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com