



A problem has occurred

2026-06-15 12:09:41

Error message:


This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

LKS1090



LKS1090

Suojakaappi latauskeskukselle, seinäasennus 1090mm Ahma LKS1090

Tuotemerkki: UTU

GTIN: 6438526000886

Sähkönumero: 3426358

Suojakaappi seinäasennettavalle latauskeskukselle. Asennetaan esim. parkkihallissa sijaitsevan keskuksen ympärille ilkivaltasuojaksi, seinäasennus. Mitat 1090 x 1900 x 396mm (L x K x S). Suojakaapin väri RAL 9006 (vaaleanharmaa). Soveltuu latauskeskuksille LK20316 (3500607), LK25320 (3500608), LK20316V (3500611), LK25320V (3500612), LK20132 (3500615), LK16124V (3500617), LK20132V (3500659), LKM16606 (3500629), LKM20608 (3500630), LKM12308 (3500633), LKM16312 (3500634), LKM12308V (3500637), LKM16312V (3500638), LKM12116 (3500641), LKM16124 (3500642), LKM12116V (3500644) ja LKM16124V (3500645).

ETIM-tiedot:

Nimellisjännite	0 V
Nimellisvirta	0 A
Materiaali	teräs
Pinnan suojaus	muu
Kaapin IP-luokka	IP00
Väri	harmaa
RAL-numero	9006
Leveys	1090 mm
Korkeus	1900 mm
Syvyys	396 mm
Asennus	seinä
Napojen lukumäärä	0
Haarajohtimen nimellispoikkipinta-ala	0 mm ² - 0 mm ²
Pääjohtimen/syöttökaapelin nimellispoikkipinta-ala	0 mm ² - 0 mm ²
Kiskolla	ei
Kiskon IP-luokka	IP00
Sisältää liittimet	ei
Maadoituksella	ei
Jalustalla	ei
Sisältää lattialevyn	ei
Asennuslevyllä	ei

Hyväksynät / merkinnät:





REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com