



REALOBJECTS
PDFReactor[®]

A problem has occurred

2026-06-25 07:50:07

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

NPR-1000-MT-K



NPR-1000-MT-K

UPS line-interactive Netys PR 1000VA 230VAC 6min

Tuotemerkki: Socomec

GTIN: 6438526004105

Sähkönumero: 8401800

Netys PR - 1-vaiheiset UPS-laitteet torni- tai rakkiasennus 1000 - 3300 VA Korkean suorituskyvyn UPS- suojaus räkissä tai tornissa Yksivaiheinen Line-Interactive UPS 1000-3300VA tehoalueella. Erinomainen ratkaisu ammattimaiseen käyttöön esimerkiksi IT-laitteistoille, servereille, datayhteyksille, graafisille työpisteille ja kulunvalvontaan. Laitteet takaavat suojatun ja jatkuvan sähkönsyötön kriittisille laitteille. Siniaalto invertteri tuottaa tasaista sähköä, joka käy kaikille kuormanlaaduille. UPSit on suunniteltu täyttämään IT-laitteiston tarpeet, kun aikaa ja tilaa säästävä torni/räkki muutosmahdollisuus tekee helpoksi asennuksen ja muutokset myös jälkikäteen. Tornimallin laite taas on helppo asentaa pöydälle tai sen alle. laite on 145mm leveää ja 205mm korkea. Tämä tekee laitteesta sopivan kokoisen asentaa miltein mihin vain. Ensimmäisessä käynnityksessä ei tarvita konfiguroiteja. Laitteesta löytyy NTP -suojaus LAN/ADSL-liittimille verkkoyhteyden suojaukseen. Takana laitteesta löytyy myös EPO-liitännä (hätäsammutus) ja RS232-liitännä UPS:in lisäkomentojen suorittamiseen. Liittimiä löytyy 8 kpl IEC320-standardin mukaisia. Laitteisiin on saatavilla myös lisäakustoja tilanteisiin, joissa laitteen oma varokäyntiaika ei riitä. Selvä ja helppokäyttöinen LCD-näyttö pitää huolen, että laitteen toimintatila on näkyvässä ja summerit hoitavat hälytysten ilmoittamisen.

Hyväksynät / merkinnät:





REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com