



REALOBJECTS
PDFReactor[®]

A problem has occurred

2026-06-25 05:46:57

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

PINSERI125.0123RST



PINSERI125.0123RST

Pistorasiakeskus IP44 pinta In=125A, RST, voimavirta 1x32A+2x16A, 3xSchuko

Tuotemerkki: UTU

GTIN: 6438526003641

Sähkönumero: 3436831

Pistorasiakeskus IP44. Nimellisvirta 125A. Kotelo valmistettu RST. Pistorasiat suojattu 30mA vikavirtasuojalla. Pistorasiat 1 kpl (5x32A), 2 kpl (5x16A) ja 3 kpl (Suko). Lisävarusteena sadelippa (3436821).

ETIM-tiedot:

Voimapistorasia (CEE) 16 A	2x16A5p400V
Voimapistorasia 32 A (CEE)	1x32A5p400V
Voimapistorasia 63 A (CEE)	ei ole
Voimapistorasia (CEE) 125 A	ei ole
Suojamaadoitettujen pistorasioiden määrä (CEE 7/3, tyyppi F)	3
Pistorasioiden määrä, tanskalainen standardi (maadoituspinni)	0
Pistorasioiden määrä sveitsiläinen normi, tyyppi 13	0
Pistorasioiden määrä sveitsiläinen normi, tyyppi 15	0
Pistorasioiden määrä sveitsiläinen normi, tyyppi 23	0
Pistorasioiden määrä sveitsiläinen normi, tyyppi 25	0
Tilavaraus kalusteelle	0
Tehohäviö	0 W
Suojaus	johdonsuojakatkaisija
Vikavirran tyyppi	A
Maavuotovahti	vikavirtasuojakytkin 30 mA (standardi)
Johdonsuojakatkaisijoiden määrä	3
Kotelon/suojuksen materiaali	ruostumaton teräs
Kontaktin materiaali	muu
Kontaktin pintakäsittely	muu
Ulkopuolisen syötön kytkentämahdollisuus	2 kaapelia
Napaluku verkkoliitintä	3
Kaapelin sisäänviennin halkaisija	muu
Verkkoliitintätulpan tyyppi	ei ole
Kaapelin pituus	0 m
Käyttö-/asennustavat	seinäasennus
Kotelointiluokka (IP)	IP44
Armeijakäyttöön	ei
Väri	ruostumaton teräs
Korkeus	758 mm
Leveys	452 mm
Syvyys	237 mm

Hyväksynät / merkinnät:





REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com