



REALOBJECTS
PDFReactor[®]

A problem has occurred

2026-06-13 19:15:30

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



PRI-52

Valvontarele virta 1vk 8A 0,5-25A viive 0,5-10s

Tuotemerkki: Elko EP

GTIN: 8595188136556

Sähkönumero: 2707213

Valvontarele PRI-52 on tarkoitettu yksivaiheisten vaihtovirtapiiriin virratason valvontaan. Laukaisurajan hienosäätö mahdollistaa releen käytön monissa erilaisissa sovelluksissa. Lähtörele on normaalitilassa pois kytketty. Kun asetettu virta-arvo ylittyy, rele kytkeytyy päälle esiasetetun viiveen jälkeen. Häiriötilasta normaalitilaan palaamisessa käytetään hystereesiä. PRI-52:n etuna on, että kierretystä johtimesta kulkeva aukko sijaitsee keskuksen suojapeitteen alapuolella. Tämän ansiosta johdin ei ole ulkopuolisten käsittelyjen tai luvattoman manipuloinnin kohteena.

ETIM-tiedot:

Sähköisen liitännän tyyppi	vipuliitäntä
Irrotettavilla kiinnikkeillä	ei
Ulkoinen virtalähde tarpeellinen	ei
Syöttöjännitteen tyyppi	AC
Virtamitta-alue	0.5 A - 25 A
Yksivaihealivirtavalvonta	kyllä
Kolmivaihealivirtavalvonta	ei
Yksivaiheylivirtavalvonta	kyllä
Kolmivaiheylivirtavalvonta	ei
Yksivaihehystereesivalvonta	kyllä
Kolmivaihehystereesivalvonta	ei
DC-alivirtavalvonta	ei
DC-ylivirtavalvonta	ei
DC-virtahystereesivalvonta	ei
Min. säädettävä vetohidastus kytkettäessä	0.5 s
Maksimi sallittu vetohidastus kytkettäessä	10 s
Min. säädettävä päästöhidastus	0.5 s
Maksimi sallittu päästöhidastus	10 s
Avautuvien koskettimien lukumäärä	1
Sulkeutuvien koskettimien lukumäärä	1
Vaihtokoskettimien lukumäärä	1
Leveys	17.6 mm
Korkeus	90 mm
Syvyys	64 mm

Hyväksynät / merkinnät:





REALOBJECTS PDFReactor[®]

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com