



REALOBJECTS  
**PDFReactor**<sup>®</sup>

## A problem has occurred

2026-06-24 09:38:38

### Error message:

This license has expired on 2026-05-30.

### License Information:

|                        |                                                                                                                         |
|------------------------|-------------------------------------------------------------------------------------------------------------------------|
| License serial no:     | 3916                                                                                                                    |
| Licensee:              | Adeona Oy                                                                                                               |
| Product:               | PDFReactor Web Service                                                                                                  |
| Version:               | 12.0                                                                                                                    |
| License Type:          | CPU                                                                                                                     |
| Amount:                | 12 Thread(s)                                                                                                            |
| Maintenance Exp. Date: | 2026-05-30                                                                                                              |
| Expiration Date:       | 2026-05-30                                                                                                              |
| Purchase Date:         | 2015-11-18                                                                                                              |
| Conditions:            | [This license is for use on development systems only. It may not be used on staging or productive systems of any kind.] |
| Sign Date:             | 2025-06-02 15:12                                                                                                        |



PRP424B

### Pistikupesapost Ø80mm, kõrgus 2300mm, must, 2x4 Schuko, 2xRJ45 Cat6 UTP

**Bränd:** UTU

**GTIN:** 6438526001609

Pistikupesapost Ø80mm, kõrgus 2300 mm, 1-poolne. Postil 2x4 Schuko pistikupesa, 2x RJ45 Cat6 UTP. Pistikupesad paigutatud 45-kraadise nurga alla. Ühenduskaablite kogupikkus on 5 m, millest umbes 3 m tuleb välja posti ülaosast. Värv must. Postialus eraldi tellitav.

#### ETIM-teave:

|                                       |                     |
|---------------------------------------|---------------------|
| Samba kuju                            | Ring                |
| Mudel                                 | Ühepoolne           |
| Eeljuhtmestatud                       | Jah                 |
| Reguleeritav                          | Ei                  |
| Kõrguse tasandamine                   | 0 mm                |
| Samba kõrgus                          | 2300 mm - 2300 mm   |
| Samba sügavus                         | 80 mm               |
| Samba laius                           | 80 mm               |
| Läbimõõt                              | 80 mm               |
| Kasutatavate kaante arv               | 1                   |
| Katte laius                           | 45 mm               |
| Katte sügavus                         | 20 mm               |
| Kinnituse tüüp                        | Stand (baas)        |
| Kohamuutuja                           | Jah                 |
| Sobib lae paigaldamiseks              | Ei                  |
| Sobib põrandale paigaldamiseks        | Jah                 |
| Kaabli sisenemine                     | Peal                |
| Läbiv profiil                         | Jah                 |
| Materjalipaigaldussamba               | Alumiinium          |
| Materjali kvaliteedi paigaldussamba   | Muu                 |
| Materjalipaigaldussamba halogeenivaba | Ei                  |
| Pinnakaitseasmas                      | Märglakkitud        |
| Värvikolonn                           | Black               |
| RAL- numbri veerg                     | 9005                |
| Materjalikate                         | Alumiinium          |
| Materjali kvaliteedi kate             | Muu                 |
| Materjalikate halogeenivaba           | Jah                 |
| Kattepind                             | Märglakkitud        |
| Värviline kate                        | Black               |
| RAL- numbri kaane                     | 9005                |
| Partitsioonide arv                    | 1                   |
| Kasulik ristlõige                     | 1.5 mm <sup>2</sup> |

#### Kinnitused / märgistused:





REALOBJECTS

PDFReactor®

## Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

**NOTE:** Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

## Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

## About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit [www.pdfreactor.com](http://www.pdfreactor.com)