



A problem has occurred

2026-06-24 09:43:21

Error message:


This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

Pistikupesapost Ø80mm, kõrgus 2300mm, anod., 2x4 Schuko, 4xRJ45 Cat6 UTP**Bränd:** UTU**GTIN:** 6410014445034

Pistikupesapost Ø80 mm, kõrgus 2300 mm, 1-poolne. Postil 2x4 Schuko pistikupesa, 4x RJ45 Cat6 UTP. Pistikupesad paigutatud 45-kraadise nurga alla. Ühenduskaablite kogupikkus on 5 m, millest umbes 3 m tuleb välja posti ülaosast. Värv anodeeritud. Postialus PRP1JH eraldi tellitav.



PRP444A

ETIM-teave:

Samba kuju	Ring
Mudel	Ühepoolne
Eeljuhtmestatud	Jah
Reguleeritav	Ei
Kõrguse tasandamine	0 mm
Samba kõrgus	2300 mm - 2300 mm
Samba sügavus	80 mm
Samba laius	80 mm
Läbimõõt	80 mm
Kasutatavate kaante arv	1
Katte laius	45 mm
Katte sügavus	20 mm
Kinnituse tüüp	Stand (baas)
Kohamuutuja	Jah
Sobib lae paigaldamiseks	Ei
Sobib põrandale paigaldamiseks	Jah
Kaabli sisenemine	Peal
Läbiv profiil	Jah
Materjalipaigaldussamba	Alumiinium
Materjali kvaliteedi paigaldussamba	Muu
Materjalipaigaldussamba halogeenivaba	Ei
Pinnakaitseasemmas	Anodiseeritud
Värvikolonn	Hõbe
RAL- numbri veerg	9006
Materjalikate	Alumiinium
Materjali kvaliteedi kate	Muu
Materjalikate halogeenivaba	Jah
Kattepind	Anodiseeritud
Värviline kate	Hõbe
RAL- numbri kaane	9006
Partitsioonide arv	1
Kasulik ristlõige	1.5 mm ²

Kinnitused / märgistused:



REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com