



A problem has occurred

2026-06-24 11:36:47

Error message:

This license has expired on 2026-05-30.

License Information:

| | |
|------------------------|---|
| License serial no: | 3916 |
| Licensee: | Adeona Oy |
| Product: | PDFReactor Web Service |
| Version: | 12.0 |
| License Type: | CPU |
| Amount: | 12 Thread(s) |
| Maintenance Exp. Date: | 2026-05-30 |
| Expiration Date: | 2026-05-30 |
| Purchase Date: | 2015-11-18 |
| Conditions: | [This license is for use on development systems only. It may not be used on staging or productive systems of any kind.] |
| Sign Date: | 2025-06-02 15:12 |



PRP686-7A

Vienpusė instaliacinė kolona PRP686-7A, aukštis 2300mm, anoduota**Prekės ženklas:** UTU**GTIN:** 6410014445508

Vienpusė instaliacinė kolona, Ø80mm, aukštis 2300mm, anoduota, 2x6 kištukiniai lizdai, 8xRJ45 Kat. 6 UTP, laidų ilgis 7m

ETIM duomenys:

| | |
|--|---------------------|
| Stulpo formos | Apaš |
| Modelis | Vienpusėjs |
| Su iš anksto išvedžiotais laidais | Taip |
| Reguliuojamas | Ne |
| Aukščio sulygiavimas | 0 mm |
| Kolonos aukštis | 2300 mm - 2300 mm |
| Stulpelio gylis, stulpo gylis | 80 mm |
| Stulpelio plotis | 80 mm |
| Diametras | 80 mm |
| Naudojamų gaubtų skaičius | 1 |
| Gaubto plotis | 45 mm |
| Dangos gylis | 20 mm |
| Tvirtinimo tipas | Stativis (pamatne) |
| Kintanti vieta | Taip |
| Tinka montuoti prie lubų | Ne |
| Tinka montuoti ant grindų | Taip |
| Kabelio jeiga | Virsū |
| Kiaurai prakišamas profilis | Taip |
| Instaliacijos kolonos medžiaga | Alumīnijs |
| Instaliacinės kolonos medžiagos kokybė | Cits |
| Behalogeninės instaliacinės kolonos medžiaga | Ne |
| Kolonos paviršius | Anodėts |
| Kolonos spalva | Sudrabs |
| Kolonos RAL numeris | 9006 |
| Gaubto medžiaga | Alumīnijs |
| Gaubto medžiagos kokybė | Cits |
| Behalogeninio gaubto medžiaga | Taip |
| Paviršiaus danga | Anodėts |
| Gaubto spalva | Sudrabs |
| Gaubto RAL numeris | 9006 |
| Pertvarų skaičius | 1 |
| Naudingoji kryžminė sekcija | 1.5 mm ² |

Patvirtinimai / ženklimas:



REALOBJECTS

PDFReactor[®]

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com