



REALOBJECTS

PDFReactor®

## A problem has occurred

2026-06-15 02:09:39

### Error message:

This license has expired on 2026-05-30.

### License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

# TUOTEKORTTI

## TG550A



TG550A

### Savuilmaisin RF-linkitettävä, Q-hyväksytty, IR-hälytyksen kuittaus, valkoinen

**Tuotemerkki:** Hager  
**GTIN:** 3599430009662  
**Sähkönumero:** 7135035

Langattomasti ketjutettava paristokäyttöinen optinen savuilmaisin palovaroitinkäyttöön kodeissa. Tämä 10 vuotisella paristolla varustettu ilmaisain voidaan ketjuttaa langattomasti muiden TG550A ja TG551A ilmaisimien kanssa. Savuilmaisimen savuntunnistusta tehostavat prosessoriteknikka ja Kriwan Q tiukennettu laatuhyväksyntä varmistavat että ilmaisain tarjoaa käyttöösi parasta turvallisuutta. Ilmaisain voidaan testata ja mykistää etupinnan suuresta testipainikkeesta käsin tai esimerkiksi harjanvarrella. Ilmaisimen hälytys voidaan kuitata tilassa myös millä tahansa infrapunaa lähettävällä kaukosäätimellä, joka on hyödyllinen toiminto erityisesti korkeissa huonetiloissa. Ilmaisimen tekemästä hälytyksestä voidaan antaa kosketintieto ulkopuolisella järjestelmälle liittämällä savuilmaisimeen erikseen tilattava relekanta.

#### ETIM-tiedot:

Toimintaperiaate	optinen
Äänenvoimakkuus	85 dB(A)
Vastelämpötila	-10 °C
Savukytkin	ei
Testipainikkeen tyyppi	yhdistelmä
Erilliskäytettävä	ei
Ketjutus kaapelilla	ei
Ketjutus langattomasti (perustoiminto)	kyllä
Ketjutus langattomasti (lisätoiminto)	ei
Maksimimäärä ketjutettavissa	40
Ensisijainen jännitesyöttö	paristo/akku
Syöttöjännitteen tyyppi	DC
Jännitteenilmaisimella	ei
Varakäyntiparisto	ei
Sisältää varakäyntipariston	ei ole
RAL-numero (vastaava)	9010
Q-merkinnällä	kyllä
Pituus	116 mm
Leveys	116 mm
Halkaisija	116 mm
VdS-hyväksyntä	ei

#### Hyväksynät / merkinnät:





# REALOBJECTS PDFReactor®

## Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

**NOTE:** Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

## Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

## About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit [www.pdfreactor.com](http://www.pdfreactor.com)