



REALOBJECTS

PDFReactor®

A problem has occurred

2026-06-17 04:44:48

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



VU60NW

Multimeediakilp Volta, süvis, 5 rida, Patch paneel, 3-ne pistikupesa**Bränd:** Hager**GTIN:** 3250616615779

Volta süvispaigaldatav multimeediakilp, 5 rida/60 moodulkohta, on mõeldud nõrkvoolusüsteemide korrastatud ja turvaliseks paigalduseks. Kilp on varustatud standardse kaabliklambri, kaabliühendite ja integreeritud vesiloodiga, mis lihtsustavad paigaldust. Ülemises osas paikneb kahe kruvikinnitusega patch-paneel koos DIN-liistuga, märgistusriba ning tsiingitud terasest perforatsiooniga paigaldusplaadid (aukude läbimõõt 3,2 mm). VDI-komponentide tööriistavabaks kinnitamiseks saab kasutada universaalset kinnitusklambrit, mis paigaldatakse otse perforatsiooniga plaadile.

Kilbi alumisele osale on paigaldatud kolmeosaline maanduskontaktiga pistikupesa, mille pesad on iseseisvalt 90° pööratavad, tagades paindliku kasutuse. Kilbil on IP30 kaitseklass, II isolatsiooniklass (topelisolatsioon) ja löögikindlus IK05. Raam ja uks on valmistatud terasest ning viimistletud valge tooniga (RAL 9010).

ETIM-teave:

Ridade arv	5
Laius modulaarsete vahemaade arv	12
Katte tüüp	Uks
Kaanemudel	Sälguga
Läbipaistev kate/uks	Ei
Signaali möödumise uks	Ei
Lukuga	Ei
Sisesehitussügavus	90 mm
Sisesehitatud kõrgus	865 mm
Sisesehitatud laius	335 mm
Sisemine sügavus	91.5 mm
Maandusterminali plokk	Ei
Neutraalne klemmplokk	Ei
DIN-rail	Jah
Kinnitusplaadiga	Jah
Võimalik laiendus	Jah
UV-kindel	Ei
RAL-number	9010
Kõrgus	880.5 mm
Laius	348 mm
Sügavus	94.5 mm

Kinnitused / märgistused:



REALOBJECTS PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com