



REALOBJECTS

PDFReactor®

A problem has occurred

2026-06-06 02:16:05

Error message:


This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12

TUOTEKORTTI

WDE5035



WDE5035

Vipupainikerunko (1+1) 2s 10A 250VAC kosketinta, yhteinen tuloliitin

Tuotemerkki: Hager

GTIN: 3250610092859

Sähkönumero: 2107691

Jousipalautteinen kruunupainikerunko (5) käytettäväksi modulaaristen asennuskalustesarjojen S.1, B.x, Q.x, K.x, R.x 2-osaisten painikevipujen ja nelikulmaisten peitelevyjen kanssa. Painike on varustettu tukevalla metallisella asennusrenkaalla, kiinnityskynsillä sekä asennusystävällisillä, hyvän ja kestäväen liitännän takaavilla jousiliittimillä. Syöttö yhteisellä tuloliittimellä. Painikerunko on varustettavissa erikseen pika-asenteisella merkivalolla haku- tai kontrollivalotoiminnon lisäämiseksi kytkimeen.

ETIM-tiedot:

Kokoonpano	peruselementti
Malli / Tyyppi	kruunupainike
Käyttötapa	keinukytkin
Toimintaperiaate	sähkömekaaninen
Avautuvien koskettimien lukumäärä	1
Sulkeutuvien koskettimien lukumäärä	1
Vaihtokoskettimien lukumäärä	0
Palautuvien kontaktien lukumäärä	0
Kontaktiton toiminta	ei
Vipujen määrä	2
Moduulien lukumäärä	0
Napojen lukumäärä	1
Nimellisjännite	250 V
Nimellisvirta	10 A
Valolla	ei
Sisältää lampun	ei
Merkinantolampulla	ei
Takaisinkytkentäliitin	ei
KytKentätapa	pistokepuristin / jousiliitin
Asennustapa	uppoasennus
Kiinnitystapa	kynsikiinnitys
Materiaali	muu
Materiaalin laatu	muu
Halogeeniton	kyllä
Antibakteerinen käsittely	ei
Pinnan suojaus	käsittelemätön
Pintamateriaali	matta
Läpinäkyvä	ei
Merkintäpaikka	ei
Merkintä	ei ole
Sopii kotelointiluokalle (IP)	IP20
Iskunkestävyysluokka	IK07
Laitteen leveys	70.8 mm
Laitteen korkeus	70.8 mm
Laitteen syvyys	41.6 mm
Minimisyvyys (sisäänrakennettu laitekotelo)	35 mm



REALOBJECTS PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com

Apple HomeKit -yhteensopiva	ei
Google Assistant -yhteensopiva	ei
Amazon Alexa -yhteensopiva	ei
IFTTT-tuki	ei

Hyväksynät / merkinnät: