



## A problem has occurred


2026-06-24 02:37:25

### Error message:

This license has expired on 2026-05-30.

### License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Web Service
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:12



303650

**Viengubas perjungiklis, montuojamas į gipso kartono sieną****Prekės ženklas:** Hager**GTIN:** 4011334238850

Perjungiklis viengubas (valdymas iš kelių vietų) (100 W savaiminio balasto lempa (SBL)) QC 10AX, ~250V montuojamas į gipso kartono sieną. Berker S1/Bx/Qx/Rx/Kx. Plotis: 71 mm. Aukštis: 71 mm. Gylis: 31 mm.

**ETIM duomenys:**

Laidyno sistema	Divvirzienu slėdzis
Veikimo metodas	Šūpuļs/poga
Kompleksinio bloko išdėstymas	Pamatelements
Paspaudžiamas mygtukinis jungiklis	Ne
Svirtelių skaičius	2
Montavimo metodas	Virsmas montāža
Tvirtinimo tipas	Skrūvju montāža
Su montavimo plokšte	Ne
Be halogeno	Taip
Antibakterinis apdorojimas	Ne
Paviršiaus tipas	Mets
Kortelės erdvė/informacijos paviršius	Nė
Apšvietimas	Pēc izvēles
Apšvietimo funkcija	Vadība un orientācija
Apšvietimo tipas	Kvēļspuldze
Tinka apsaugos laipsniui (IP)	IP20
Nominali įtampa	250 V
Nustatyta srovė	10 A
Fluorescencinių lempų perjungimo srovė	10 AX
Atgalinio kontakto signalas	Ne
Jungties tipas	Iespiežamā skava
Šildymo jungiklis	Ne
Plovimo mašinos jungiklis	Ne
Įrenginio plotis	71 mm
Įrenginio aukštis	71 mm
Įrenginio gylis	41.6 mm
Suprojektuotas gylis	19.5 mm
Mažiausias įmontuoto įrenginio gylis	35 mm
Suderinamas su "Apple HomeKit"	Ne
Suderinamas su "Google Assistant"	Ne
Suderinamas su "Amazon Alexa"	Ne
Galimas IFTTT palaikymas	Ne
Atitinka JK statybos taisyklių M dalį	Ne

**Patvirtinimai / ženklینimas:**



REALOBJECTS

PDFReactor®

## Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.3.2 (17644). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

**NOTE:** Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

## Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

## About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit [www.pdfreactor.com](http://www.pdfreactor.com)